

# COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY


The undersigned, Mr. YU WEI / Legal persons  
Hereby certifies that the following complete vehicle:

- 0.1. Make (trade name of the manufacturer): VELIMOTOR
- 0.2. Type: VMX10S
  - 0.2.1. Variant: 00
  - 0.2.2. Version: 00
- 0.2.3. Commercial name (if available): VMX10S, RJ-EV04, BR-EV04  
(CV \* Commercial name (if available)): N.A.
- 0.3. Category, subcategory and sub-subcategory of vehicle: L3e-A1  
(CV \* Category, subcategory and sub-subcategory of vehicle): N.A.
- 0.4. Company name and address of manufacturer:  
VELI TECHNOLOGY INDUSTRIAL CO., LIMITED  
UNIT 811, BEVERLEY COMMERCIAL CENTRE, 87-105 CHATHAM ROAD SOUTH, TSIM SHA  
TSUI, KOWLOON, HONGKONG, P. R. CHINA
  - 0.4.2. Name and address of manufacturer's authorized representative (if any):  
INVICTA ELECTRIC SL  
Portal de Gamarra 1, edificio DEBA, oficina 208 de Vitoria-Gasteiz (Alava), 01013, SPAIN
- 0.5.1. Location of the manufacturer's statutory plate(s): L, x350, y28, z930
- 0.5.2. Method of attachment of the manufacturer's statutory plate(s): By riveted
- 0.6. Location of the vehicle identification number: R, x350, y28, z930
- 1. Vehicle identification number: ☆R8H4WGF1????????☆

Conforms in all respects to the type described in EU type-approval e13\*168/2013\*01783\*00 (type-approval number including extension number) (CV\* type-approval number including extension number) issued on DD. MM. YYYY (date of issue) (CV\* date of issue) and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Hongkong, China  
-----  
(place)

DD. MM. YYYY  
-----  
(date)

(signature) 

## General construction characteristics

- 1.3. Number of axles: 2 and wheels: 2
- 1.3.1. Axles with twinned wheels: N.A.
- 1.3.2. Powered axles: R
- 6.2.4. Advanced braking system: ~~ABS / CBS / Both ABS and CBS / None~~: CBS

## Main dimensions

- 2.2.1. Length: 2077 mm
- 2.2.2. Width: 815 mm
- 2.2.3. Height: 1215 mm
- 2.2.4. Wheelbase: 1342 mm
- 2.2.4.1. Wheelbase sidecar: N.A.
- 2.2.5. Track width: N.A.
- 2.2.5.1. Track width front: N.A.
- 2.2.5.2. Track width rear: N.A.
- 2.2.5.3. Track width sidecar: N.A.
- 2.2.10.6. Ground clearance between the axles: N.A.
- 2.2.15. Wheelbase to ground clearance ratio: N.A.
- 2.2.17. Seat height: N.A.

## Masses

- 2.1.1. Mass in running order: 107 kg
- 2.1.2. Actual mass: 203 kg
- 2.1.3. Technically permissible maximum laden mass: 278 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 99 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 179 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N.A.
- 2.1.7. Technically permissible maximum towable mass: N.A.
- Braked: N.A.
- Unbraked: N.A.
- 2.1.7.1. Technically permissible maximum laden mass of the combination: N.A.
- 2.1.7.2. Technically permissible maximum mass at the coupling point: N.A.

## Powertrain

- 3.1.1.1. Manufacturer: N.A.
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N.A.
- 3.2.1.2. Working principle of the combustion engine: ~~internal combustion engine (ICE)/positive ignition/compression ignition/external combustion engine (ECE)/turbine/compressed air~~
- 3.2.1.4.1. Number of cylinders: N.A.
- 3.2.1.4.2. Arrangement of cylinders: ~~L / V / O / S~~
- 3.2.1.5. Engine capacity: N.A.
- 1.9. Maximum net power: N.A. (CV\*: N.A.)
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N.A. (CV\*: N.A.)
- 3.2.3.1. Fuel type: N.A.

3.2.3.2. Vehicle fuel combination: ~~mono-fuel/bi-fuel/flex-fuel~~  
3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N.A.  
3.1.2.1. Manufacturer: Chongqing Kecheng Motor Manufacturing Co., Ltd  
3.1.2.2. Electric motor code (as marked on the engine or other means of identification):  
159YC-J7230412NA ☆????????????????☆  
3.3.3.4. ~~15/30~~ minutes power: 4.0 kW at 2300 min-1  
3.1.3.1. Manufacturer: N.A.  
3.1.3.2. Application code (as marked on the engine or other means of identification): N.A.  
3.3.1. Electric vehicle configuration: pure electric/~~hybrid electric/manpower~~—electric pure electric  
3.3.5.2. Category of hybrid electric vehicle: ~~off-vehicle charging/not off-vehicle charging~~ N.A.  
3.9.2. Maximum assistance factor: N.A.

Maximum speed

1.8. Maximum speed of vehicle: 100 km/h  
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N.A.

Drive-train and control

3.5.3.9. Transmission (type): O  
3.5.4. Gear ratios: 26.165  
3.5.4.1. Final drive ratio: 3.428  
3.5.4.2. Overall gear ratio in highest gear: N.A.

Installation of tyres

6.18.1.1. Tyre size designation:  
Axle 1: 90/90-19 58P or 90/90-19 52P  
Axle 2: 4.60-18 63P or 110/80-18 58S or 110/80-18 58P or 4.10-18 59P

Minimum load capacity index:

Axle 1: 28 Axle 2: 48

Minimum speed category symbol:

Axle 1: J Axle 2: J

Recommended pressure:

Axle 1: 225 kPa Axle 2: 225 kPa

Rim size:

Axle 1: 2.15×19 Axle 2: 2.75×18 or 2.50×18

Sidecar wheel: N.A.

Bodywork

6.20.2.1. Door configuration and number of doors: N.A.  
6.16.1. Number of seating positions: 2  
6.16.1.1. Location and arrangement: N.A.

Coupling devices

7.2.8. Type-approval number of coupling-device: N.A.  
Environmental performance

4.0.1. Environmental step: Euro 5 (34/545<sup>+</sup>)<sup>(1)</sup>  
4.0.6. Sound level measured according to: N.A.  
4.0.6.1. Stationary: N.A.  
4.0.6.2. Drive-by: N.A.  
4.0.6.3. Limit value for L<sub>urban</sub>: N.A.

3.2.15. Exhaust emissions measured according to: N.A.  
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:  
CO : N.A.  
THC : N.A.  
NMHC : N.A.  
NOx : N.A.  
THC+NOx : N.A.  
PM : N.A.  
3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:  
HC: --- ppm at normal idling speed and: --- ppm at high idle speed (CV\*: N.A.)  
CO: --- % vol at normal idling speed and: --- % vol at high idle speed (CV\*: N.A.)  
3.2.15.3. Smoke corrected absorption coefficient: N.A. (CV\*: N.A.)

Energy efficiency

4.0.2. Fuel consumption: N.A.  
4.0.3. CO<sub>2</sub> emissions: N.A.  
4.0.4. Energy consumption: 55 Wh/km  
4.0.5. Electric range: 83 km

Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A2 and (L3e/L4e)-A3 and vice versa: N.A.

Additional information:

9.1. Remarks: N.A.  
9.2. Exemptions: N.A.